

SAFETY DATA SHEET

Date Printed: 27 Apr, 2020

Version: 1

Regulation: According to Regulation 2012 OSHA Hazard Communication Standard; 29 CFR Part 1910.1200

1. Identification

1.1 Product identifier

1.1.1 Product of name: CLNA-8152

1.1.2 Other means of identification: Not available

1.2 Recommended use of the chemical and restrictions on use

1.2.1 Recommended use: It is used for insulation of cable.

1.2.2. Restrictions on use: Do not use for purposes other than those recommended.

1.3 Details of the supplier of the safety data sheet

1.3.1 Manufacturer

Company name: Hanwha Solutions Co, Ltd.

Address: Yeosu plant, Hanwha Solutions Co, Ltd., 117, Yeosusandan 3-ro, Yeosu-si, Jeollanam-do, Korea

Prepared by: W&C Production team

Contact Telephone: +82-61-688-1582, Fax: +82-61-688-1585, e-mail: h0500113@hanwha.com

1.3.2 Supplier & Distributor

Company name: Hanwha Solutions Co, Ltd.

Address: 21F, Hanwha Bldg., Janggyo-dong, Jung-gu, Seoul, Korea

Prepared by: W&C Sales Team

Contact Telephone: +82-2-729-2644, Fax: 02-729-2563, e-mail: yoosang.yoon@hanwha.com

1.4 Emergency phone number

Emergency phone: +1-713-402-1990(Any problems that occures in U.S.A)

2. Hazard(s) identification

2.1 Classification of the substance or mixture

According to Regulation 2012 OSHA Hazard Communication Standard; 29 CFR Part 1910.1200

Physical / Chemical Hazards: Not classified

Health Hazards: Not classified

Environmental Hazards: Not classified

2.2 Label elements, including precautionary statements

o Pictogram and symbol: Not applicable

o Signal word: Not applicable


o Hazard statements: Not applicable

o Precautionary statements:- Prevention: Not applicable- Treatment: Not applicable

- Storage: Not applicable- Disposal: Not applicable



2.3 Other hazard information not included in hazard classification (NFPA)



o Health: 1

o Flammability: Not availableo Reactivity: Not available

3. Composition/information on ingredients

Component	Common name and synonyms	CAS No.	Conc. / %
Polyethylene	Ethylene polymers	9002-88-4	> 95
Dicumyl Peroxide	Bis(1-metyl-1- phenylethyl)peroxide	80-43-3	< 3
Magnesium Oxide	Magnesia	1309-48-4	< 2

4. First-aid measures

4.1 Description of first aid measures

Eye contact

- In case of contact with substance, immediately flush eyes with running water at least 20 minutes.

Skin contact

- In case of contact with substance, immediately flush skin with running water for at least 20 minutes.
- Remove and isolate contaminated clothing and shoes.
- Wash thoroughly clothes and shoes before reuse.
- Get immediate medical advice/attention.

Inhalation

- Specific medical treatment is urgent.
- Move victim to fresh air.
- Give artificial respiration if victim is not breathing.
- Administer oxygen if breathing is difficult.

Ingestion

- Do not let him/her eat anything, if unconscious.
- Get immediate medical advice/attention.

4.2 Most important symptoms and effects, both acute and delayed

- None known

4.3 Indication of immediate medical attention and notes for physician

- Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves.

5. Fire-fighting measures

5.1 Extinguishing media

- Suitable extinguishing media: Dry chemical, carbon dioxide, water, regular foam
- Unsuitable extinguishing media: Not available



5.2 Specific hazards arising from the chemical

- Thermal decomposition products: Halogenated compounds, carbon oxides, hydrogen chloride
- May be ignited by heat, sparks or flames.
- Containers may explode when heated.
- Some of these materials may burn, but none ignite readily.
- Fire may produce irritating and/or toxic gases.
- If inhaled, may be harmful.

5.3 Special protective equipment and precautions for fire-fighters

- Dike fire-control water for later disposal; do not scatter the material.
- Move containers from fire area if you can do it without risk.

6. Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

- Eliminate all ignition sources.
- Stop leak if you can do it without risk.
- Ventilate the area.
- Do not touch or walk through spilled material.
- Prevent dust cloud.

6.2 Environmental precautions

- Prevent entry into water ways, sewers, basements or confined areas.

6.3 Methods and materials for containment and cleaning up

- Small Spill; Flush area with flooding quantities of water. And take up with sand or other non-combustible absorbent material and place into containers for later disposal.
- Large Spill; Dike far ahead of liquid spill for later disposal.
- With clean shovel place material into clean, dry container and cover loosely; move containers from spill area.

7. Handling and storage

7.1 Precautions for safe handling

- Please note that materials and conditions to avoid.
- Wash thoroughly after handling.
- Please work with reference to engineering controls and personal protective equipment.
- Be careful to high temperature.

7.2 Conditions for safe storage, including any incompatibilities

- Store in a closed container.
- Store in cool and dry place.

8. Exposure controls/personal protection

8.1 Occupational Exposure limits

< Polyethylene>

o ACGIH regulation: Not available

o Biological exposure index: Not available

o OSHA regulation: Not availableo NIOSH regulation: Not available



o EU regulation:

- Bulgaria: TWA=10mg/m³ (dust)

- Czech Republic: TWA= 5mg/m³ (dust)

- Latvia: TWA= 5mg/m³ (dust, listed under Polymers dust)

o Other:

- Slovak Republic: TWA=5mg/m³ (total solid aerosol)

- China: TWA= 5mg/m³ (total dust), STEL= 10mg/m³ (total dust)

< Magnesium oxide>

o ACGIH regulation: TWA=10mg/ m³(inhalable particulate matter)

o Biological exposure index: Not available

o OSHA regulation: TWA=10mg/ m³(fume and total particulate, Vacated PELs), TWA=15mg/ m³(fume, total

particulate, Final PELs)

o NIOSH regulation: Not available

o EU regulation:

- Belgium: TWA= 10mg/m³ (fume)

- Italy: TWA= 10mg/m³ (inhalable fraction)

- Switzerland: TWA[CMP]=3mg/m³ (fume, respirable dust)

o Other:

- Argentina: TWA[CMP]=3mg/m³ (fume, respirable dust)

- China: TWA= 10mg/m³ (fume), STEL= 20mg/m³ (fume)

- Australia: TWA= 10mg/m³ (fume)

8.2 Exposure controls

Appropriate engineering controls

- Provide local exhaust ventilation system or other engineering controls to keep the airborne concentrations of vapors below their respective threshold limit value.

Individual protection measures, such as personal protective equipment

Respiratory protection

 Wear NIOSH approved full or half face piece (with goggles) respiratory protective equipment when necessary.

Eye protection

- Wear facepiece with goggles to protect.
- An eye wash unit and safety shower station should be available nearby work place.
- Wear breathable safety goggles to protect from particulate material causing eye irritation or other disorder.
- An eye wash unit and safety shower station should be available nearby work place.

Hand protection

- Wear chemical resistant gloves.
- Wear appropriate protective gloves by considering physical and chemical properties of chemicals.

Body protection

- Wear appropriate protective chemical resistant clothing.
- Wear appropriate protective clothing by considering physical and chemical properties of chemicals.

9. Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance



Description: Solid, Pellet Color: Black Odor: Odorless Odor threshold: Not available pH: Not available Melting point/freezing point: 100~130°C Initial boiling point and boiling range: Not available Flash point: Not available **Evaporation rate:** Not available Flammability (solid, gas): Not available Upper/lower flammability or explosive limits : Not available Not available Vapor pressure: Vapor density: Not available **Relative density** 0.920 - 0.950Solubility: Not available Partition coefficient: n-octanol/water: Not available Not available **Auto-ignition temperature:** Not available **Decomposition temperature** Viscosity: Not available

10. Stability and reactivity

10.1 Reactivity/Chemical stability/Possibility of hazardous reactions:

- Stable under normal conditions.
- No dangerous reaction under conditions of normal use.
- Fire may produce irritating and/or toxic gases.
- If inhaled, may be harmful.

10.2 Conditions to avoid:

- Heat, sparks or flames

10.3 Incompatible materials:

- Strong oxidizing agent

10.4 Hazardous decomposition products:

- Halogenated compounds, carbon oxides, hydrogen chloride

11. Toxicological information

Information on toxicological effects	
(a) Acute toxicity	
	Not classified (ATE _{mix} =49,969mg/kg bw)
Oral	Polyethylene: Rat, LD ₅₀ >2,000 mg/kg bw Dicumyl Peroxide: Rat, LD ₅₀ ≥2,000 mg/kg bw (OECD TG 401, GLP) Magnesium Oxide: Rat(female), LD ₅₀ =3,990 mg/kg bw

[&]quot;NOTE: The physical data presented above are typical values and should not be construed as a specification"



]
Dermal	Not classified (ATE _{mix} >2,000mg/kg bw)
	Dicumyl Peroxide: Rat, LD ₅₀ >2,000 mg/kg bw (OECD TG 402, GLP)
Inhalation	Not available
	Not classified
(b) Skin Corrosion/ Irritation	 Polyethylene: In test on skin irritation with rabbits, mild skin irritations was observed (irritating index: 0.2) Dicumyl Peroxide: In test on skin irritation with rabbits, very slight erythema was observed (OECD TG 404, GLP)
	Not classified
(c) Serious Eye Damage/ Irritation	- Polyethylene: At the 24 hour observation, one and two treated eyes suffered from moderate and minimal conjunctival irritation, respectively., Polyethylene produced a maximum group mean score of 11.7 and was classified as a mild irritant to the rabbit eye, All treated eyes appeared normal at the 72 hour and 7 day observations. - Dicumyl Peroxide: In test on serious eye damage/irritation with rabbits, slightly eye irritations was observed The effects were fully reversible after 72h. (cornea opacity=1, conjunctivae redness=1) (OECD TG 405, GLP) - Magnesium Oxide: Examination of 95 workers exposed to an unspecified concentration of MgO dust revealed slight irritation of the eyes and nose
(d) Respiratory sensitization	Not available
	Not classified
(e) Skin Sensitization	 Polyethylene: In skin sensitization test with guinea pigs, skin sensitizations were not observed. Dicumyl Peroxide: The result of the LLNA test perfomed with dicumyl peroxide revealed that dicumyl peroxide is not senstizing to skin. (OECD TG 429, GLP)
(f) Carcinogenicity	Not classified
	 Polyethylene: IARC: Group 3(Not classifiable as to its carcinogenicity to humans) Magnesium Oxide ACGIH: A4(Not classifiable as a human carcinogen)
(g) Mutagenicity	Not classified
	I .



	 Polyethylene: In vitro: Reverse mutation test (S. typhimurium) with/ without metabolic activation: Negative In vivo: Not available Dicumyl Peroxide: In vitro: Mammalian Chromosome Aberration Test (Chinese hamster lung (CHL/IU) cells) with/ without metabolic activation: Negative (OECD TG 473, GLP) In vitro: Mammalian Cell Gene Mutation Test(Chinese hamster lung fibroblasts (V79)) with/ without metabolic activation: Negative (OECD TG 476, GLP) In vitro: Bacterial Reverse Mutation Assay(S. typhimurium TA 1535, TA 1537, TA 98 and TA 100) with/ without metabolic activation: Negative (OECD TG 471, GLP) In vivo: Not available Magnesium Oxide: In vitro: MgO was also not mutagenic in the TA97 and TA100 strains with or without S-9.
(h) Reproductive toxicity	- Dicumyl Peroxide: In a developmental toxicity study according to OECD 414, dicumyl peroxide was administered to 24 pregnant female Hsd. Brl. Han: WISTAR rats per dose by oral gavage at dose levels of 0, 50, 150 and 450 mg/kg bw/day from day 5 through 19 of gestation. The highest administered dose elicited pronounced maternal toxicity, including death, piloerection, reduced activity, coldness, paleness, vaginal bleeding and hypotonicity, enlarged adrenals and spleen and blood in the uterus, markedly reduced food consumption, lower body weight, markedly reduced body weight gain and weight loss as well as markedly reduced corrected body weight and body weight gain. Effects of the highest dose on embryos included increased post implantation loss (and lower number of viable foetuses), a decreased foetal weight, an increased percentage of foetuses with body weight retardation, malrotated fore- and hindlimbs as well as skeletal malformations of the pectoral girdle and extremities, increase of skeletal variations and placentas with dark brownish discoloration or fibrinoid degeneration possibly due to the marked maternal toxicity. - Magnesium Oxide Results showed that layer performance including rate of egg production, egg wt, Haugh units, yolk color, shell break force, feed conversion, and body weight gain, was not influenced by the levels of supplemental Mg used.
(i) Specific target organ toxicity (single exposure)	Not classified - Magnesium Oxide Bronchoalveolar lavage (BAL) cell and cytokine concentrations, pulmonary function, and peripheral blood neutrophil concentrations /were quantified/ in 6 healthy volunteers 18-20 hr after inhalation of fine and ultrafine magnesium oxide particles produced from a furnace system model. It was concluded/ that fine and ultrafine particle inhalation does not result in toxicity in a generic manner independent of particle composition.



	Not classified
(j) Specific target organ toxicity (repeat exposure)	- Polyethylene: Subchronic or Prechronic Exposure/ In a 90-day study, liver changes (fat droplets, cloudy swelling, and increased liver weight) that were considered reversible in all cases. (NOAEC=Rat: 2700, 540ppm, dog: 2700ppm) - Dicumyl Peroxide: · Dicumyl Peroxide (CAS number 80-43-3) caused salivation, changes in body weight and body weight gain, in feed efficiency, clinical chemistry parameters (ALT, GGT, total bilirubin, blood urea nitrogen, bile acid or inorganic phosphorous) and organ weights (liver and kidneys) after repeated dose oral administration to male and female Hsd.Brl.Han: Wistar rats. (NOAEL=80mg/kg bw/day, LOAEL=320mg/kg bw/day)(OECD TG 408, GLP) · In 90day subchronic oral study with rat, there were observed in both sexes and body weight gain, salivation. Histopathologically, hypertrophy, degeneration of hepatocytes was observed in both sexes. (NOAEL=60mg/kg bw/day(nominal), LOAEL=200mg/kg bw/day(nominal))(OECD TG 407, GLP) · Magnesium Oxide In the exposed rabbits, enormously increased number of pulmonary alveolar macrophages (PAM) has been found.
(k) Aspiration Hazard	Not available

12. Ecological information

12.1 Toxicity		
Acute toxicity	Not classified (ATE _{mix} >1.74mg/L)	
	- Dicumyl Peroxide: Invertebrate: 48 hr EC ₅₀ (Daphnia magna) > 1.74 mg/L (OECD TG 202, GLP) Algae: 72 hr ErC ₅₀ (Selenastrum capricornutum) > 1,000 mg/L (OECD TG 201, GLP)	
Chronic toxicity	Not classified	
	- Dicumyl Peroxide: Invertebrate: 21d NOEC _{reproduction} (Daphnia magna) = 0.177 mg/L (OECD TG 211, GLP) Algae: 72 hr NOEC (Selenastrum capricornutum) = 3.2 mg/L (OECD TG 201, GLP)	
12.2Persistence and degradability	- Dicumyl Peroxide: Persistence: High persistency (log Kow is more than 4 estimated.) (Log Kow = 5.6, 25 °C) (OECD TG 117) Degradability: The half life of dicumyl peroxide is 23.8 d (pH 4), 29.2 d (pH 7), 29.9 d(pH 9) at 25 °C. (OECD TG 111, GLP)	
12.3Bioaccumulative potential	- Dicumyl Peroxide: Bioaccumulation: Bioaccumulation is expected to be high according to the BCF ≥ 500(BCF = 1977) (Estimated) Biodegradation: As not well-biodegraded, it is expected to have high accumulation potential in living organisms (18% biodegradation was observed after 28 day) (OECD TG 301 D, GLP)	



12.4 Mobility in soil	- Dicumyl Peroxide: High potency of mobility to soil. (Koc = 5.93x10 ⁴) (Estimated)
12.5 Hazardous to the ozone layer	Not classified

13. Disposal considerations

Disposal method

Waste must be disposed of in accordance with federal, state and local environmental control regulation.

Disposal precaution

Consider the required attentions in accordance with waste treatment management regulation.

14. Transport information

14.1 UN No.: Not applicable

14.2 UN Proper shipping name: Not applicable

14.3 Transport Hazard classes:

ADR: Not applicable IMDG: Not applicable ICAO/IATA: Not applicable

RID: Not applicable

14.4 Packing group: Not applicable

14.5 Environmental hazards: Not applicable

14.6 Transport in bulk (according to Annex II of MARPOL 73/78 and the IBC Code): Not applicable

14.7 Special precautions for user in case of fire: Not applicable in case of leakage: Not applicable

15. Regulatory information

15.1 Safety, health and environmental regulation/legislation specific for the substance or mixture

< Polyethylene >

USA Regulatory Information

TSCA (Toxic Substances Control Act): Section8 (b) inventory: Present [XU]

Proposition 65: Not regulated
OSHA Regulation: Not regulated
CERCLA Regulation: Not regulated
SARA 302 Regulation: Not regulated
SARA 304 Regulation: Not regulated
SARA 313 Regulation: Not regulated

Foreign Regulatory Information

Substance of Rotterdam] Protocol: Not regulated Substance of Stockholm Protocol: Not regulated



Substance of Montreal Protocol: Not regulated

Foreign Inventory Status

- Korea management information: Existing Chemical Substance (KE-28877)
- U.S.A management information: Section 8(b) Inventory (TSCA): Present[XU]
- Japan management information: Existing and New Chemical Substances (ENCS): Present ((6)-1))
- China management information: Inventory of Existing Chemical Substances (IECSC): Present (05721)
- Australia management information: Inventory of Chemical Substances (AICS): Present
- Canada management information: Domestic Substances List (DSL): Present
- New Zealand management information: Inventory of Chemicals (NZIoC): May be used as a single component chemical under an appropriate group standard.
- Philippines management information: Inventory of Chemicals and Chemical Substances (PICCS): Present

< Dicumyl peroxide >

USA Regulatory Information

TSCA (Toxic Substances Control Act): Section8 (b) inventory(Present)

Proposition 65: Not regulated
OSHA Regulation: Not regulated
CERCLA Regulation: Not regulated
SARA 302 Regulation: Not regulated
SARA 304 Regulation: Not regulated
SARA 313 Regulation: Not regulated

Foreign Regulatory Information

Substance of Rotterdam] Protocol: Not regulated Substance of Stockholm Protocol: Not regulated Substance of Montreal Protocol: Not regulated

Foreign Inventory Status

- Korea management information: Existing Chemical Substance (KE-03299)
- European Inventory of Existing Commercial chemical Substances(EINECS): Present(201-279-3)
- Japan management information: Existing and New Chemical Substances (ENCS): Present ((3)-1086)
- China management information: Inventory of Existing Chemical Substances (IECSC): Present (14132)
- Australia management information: Inventory of Chemical Substances (AICS): Present
- Canada management information: Domestic Substances List (DSL): Present
- New Zealand management information: Inventory of Chemicals (NZIoC): HSNO Approval: HSR001374
- Philippines management information: Inventory of Chemicals and Chemical Substances (PICCS): Present

< Magnesium Oxide >

USA Regulatory Information

TSCA (Toxic Substances Control Act): Section8 (b) inventory(Present)

Proposition 65: Not regulated



OSHA Regulation: Not regulated
CERCLA Regulation: Not regulated
SARA 302 Regulation: Not regulated
SARA 304 Regulation: Not regulated
SARA 313 Regulation: Not regulated

Foreign Regulatory Information

Substance of Rotterdam] Protocol: Not regulated Substance of Stockholm Protocol: Not regulated Substance of Montreal Protocol: Not regulated

Foreign Inventory Status

- Korea management information: Existing Chemical Substance (KE-22728)
- European Inventory of Existing Commercial chemical Substances(EINECS): Present(215-171-9)
- Japan management information: Existing and New Chemical Substances (ENCS): Present ((1)-465)
- China management information: Inventory of Existing Chemical Substances (IECSC): Present (37553)
- Australia management information: Inventory of Chemical Substances (AICS): Present
- Canada management information: Domestic Substances List (DSL): Present
- New Zealand management information: Inventory of Chemicals (NZIoC): May be used as a single component chemical under an appropriate group standard.
- Philippines management information: Inventory of Chemicals and Chemical Substances (PICCS): Present

16. Other information, including date of preparation or last revision

16.1 Indication of changes:

Version: 1

Revision date: 27 Apr, 2020

16.2 Key literature reference and sources for data:

- O National chemicals information systems; http://ncis.nier.go.kr
- o IARC Monographs on the Evaluation of Carcinogenic Risks to Humans; http://monographs.iarc.fr
- o ECHA; http://echa.europa.eu/web/guest
- O HSDB; http://toxnet.nlm.nih.gov/
- O OECD SIDS; http://webnet.oecd.org/
- o NIOSH(The National Institute for Occupational Safety and Health)
- o ACGIH(American Conference of Governmental Industrial Hygienists)
- o TOMES-LOLI®; http://www.rightanswerknowledge.com/loginRA.asp
- National Emergency Management Agency-Korea dangerous material inventory management system; http://hazmat.mpss.kfi.or.kr/index.do
- O Waste Control Act enforcement regulation attached [1]
- o EPISUITE Program ver.4.1

16.3 Abbreviations

ACGIH: American Conference of Governmental Industrial hygienists NIOSH: The National Institute for Occupational Safety and Health



OSHA: Occupational Safety & Health Administration IARC: International Agency for Research on Cancer

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

IMDG: International Maritime Dangerous Goods

ICAO/IATA: International Civil Aviation Organization/ International Air Transport Association

RID: Regulations Concerning the International Transport of Dangerous Goods by Rail

16.4 Other

- Product should be handled, stored, and used in accordance with the generally accepted industrial hygiene practices and in conformity with all the applicable legal regulations.
- The information provided herein is based on the knowledge possessed at this present time from the view point of safety requirements.
- It should, therefore, not be construed as guaranteeing specific properties.