

# SAFETY DATA SHEET

Date Printed: July, 27, 2022

Version: 1

Regulation: According to Regulation 2012 OSHA Hazard Communication Standard; 29 CFR Part 1910.1200

#### 1. Identification

#### 1.1 Product identifier

**1.1.1 Product name:** LLDPE 3120, LLDPE 3120MF, LLDPE 3121UV, LLDPE 3123, LLDPE 3126, LLDPE 3127, LLDPE 3127D, LLDPE 3224, LLDPE 3303, LLDPE 3304, LLDPE 3305, LLDPE 3306W, LLDPE 4200, LLDPE 4200D, LLDPE 4300N, LLDPE 4300S, LLDPE 7540, LLDPE 7635, LLDPE 8262, LLDPE 9730, LLDPE 9730D, LLDPE X-8400, LLDPE 2558

1.1.2 Other means of identification: Polyethylene

 $\textbf{1.2} \ \textbf{Recommended use of the chemical and restrictions on use}$ 

1.2.1 Recommended use: Raw material for industrial resin

1.2.2. Restrictions on use: Do not use for purposes other than those recommended

#### 1.3 Details of the supplier of the safety data sheet

#### 1.3.1 Manufacturer

Company name: Hanwha Solutions Co, Ltd.

Address: Yeosu plant, Hanwha Solutions Co, Ltd., 117, Yeosusandan 3-ro, Yeosu-si, Jeollanam-do, Korea

Prepared by: PE Production 2 Team, PE Production 3 Team Contact Telephone: +82-61-688-1804, FAX: +82-61-688-1820 +82-61-806-7012, FAX: +82-61-806-7010

# 1.3.2 Supplier&Distributor

Company name: Hanwha Solutions Co, Ltd.

Address: Hanwha Bldg., Janggyo-dong, Jung-gu, Seoul, Korea

Prepared by : PO Global Business Team Contact Telephone: +82-2-729-5026

# 1.4 Emergency phone number

Emergency phone: +82-61-688-1804 / +82-61-806-7012

#### 2. Hazard(s) identification

## 2.1 Classification of the substance or mixture

According to Regulation 2012 OSHA Hazard Communication Standard; 29 CFR Part 1910.1200

# **Physical / Chemical Hazards:**

Not classified

# **Health Hazards:**

Not classified

# **Environmental Hazards:**

Not available

# 2.2 Label elements, including precautionary statements


o Pictogram and symbol: Not applicable

o Signal word: Not applicableo Hazard statements: Not applicable



o Precautionary statements: Not applicable
 o Treatment statements: Not applicable
 o Storage statements: Not applicable
 o Waste statements: Not applicable

# 2.3 Other hazard information not included in hazard classification (NFPA)



# 3. Composition/information on ingredients

Component	Common name and synonyms	CAS No.	Conc. / %
Linear Low Density	Ethylene polymers	25087-34-7	≥99.5
Polyethylene			

# 4. First-aid measures

#### 4.1 Description of first aid measures

#### Eye contact

- In case of contact with substance, immediately flush eyes with running water at least 20 minutes.
- Get immediate medical advice/attention.

#### Skin contact

- In case of contact with substance, immediately flush skin with running water at least 20 minutes.
- Remove and isolate contaminated clothing and shoes.
- Get immediate medical advice/attention.

# Inhalation

- Specific medical treatment is urgent.
- Move victim to fresh air.
- Give artificial respiration if victim is not breathing.
- Administer oxygen if breathing is difficult.

# Ingestion

- Do not let him/her eat anything, if unconscious.
- Get immediate medical advice/attention.

#### 4.2 Most important symptoms and effects, both acute and delayed

- None known

# 4.3 Indication of immediate medical attention and notes for physician

- Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves.

# 5. Fire-fighting measures

#### 5.1 Extinguishing media

- **Suitable extinguishing media:** Use, dry fire extinguisher, alcohol foam, water spray, CO2, when fighting fires involving this material.
- Unsuitable extinguishing media: High Pressure Water Jet



#### 5.2 Specific hazards arising from the chemical

- May be ignited by heat, sparks or flames.
- Containers may explode when heated.
- Some of these materials may burn, but none ignite readily.
- Fire will produce irritating and/or toxic gases.
- If inhaled, may be harmful.

#### 5.3 Special protective equipment and precautions for fire-fighters

- Move containers from fire area if you can do it without risk.
- Some may be transported hot.
- Runoff from fire control may cause pollution.
- Contact with substance may cause severe burns to skin and eyes.
- Dike fire-control water for later disposal; do not scatter the material.
- Fire involving Tanks; Cool containers with flooding quantities of water until well after fire is out.
- Fire involving Tanks; Withdraw immediately in case of rising sound from venting safety devices or discoloration of tank.
- Fire involving Tanks; Always stay away from tanks engulfed in fire.

#### 6. Accidental release measures

# 6.1 Personal precautions, protective equipment and emergency procedures

- Eliminate all ignition sources.
- Stop leak if you can do it without risk.
- Ventilate the area.
- Do not touch or walk through spilled material.
- Powder Spill; Cover powder spill with plastic sheet or tarp to minimize spreading and keep powder dry.
- Prevent dust cloud.

#### 6.2 Environmental precautions

- Prevent entry into waterways, sewers, basements of confined areas.

# 6.3 Methods and materials for containment and cleaning up

- Small Spill; Flush area with flooding quantities of water. And take up with sand or other non-combustible absorbent material and place into containers for later disposal.
- Large Spill; Dike far ahead of liquid spill for later disposal.
- With clean shovel place material into clean, dry container and cover loosely; move containers from spill area.

## 7. Handling and storage

# 7.1 Precautions for safe handling

- Wash your hands thoroughly after handling.
- Please work with reference to engineering controls and personal protective equipment.
- Be careful to high temperature.

# 7.2 Conditions for safe storage, including any incompatibilities

- Store in a closed container.
- Store in cool and dry place.
- Please note that there are materials and conditions to avoid.



## 8. Exposure controls/personal protection

#### 8.1 Occupational Exposure limits

o ACGIH regulation: Not available

o Biological exposure index: Not available

o OSHA regulation: Not availableo NIOSH regulation: Not availableo EU regulation: Not available

o Other:

- Slovak Republic: TWA=5mg/m<sup>3</sup> (total solid aerosol)

- Latvia: TWA= 5mg/m<sup>3</sup> (dust, listed under Polymers dust)

- China: TWA= 5mg/m³ (total dust), STEL= 10mg/m³ (total dust)

#### 8.2 Exposure controls

#### **Appropriate engineering controls**

- Use process enclosures, local exhaust ventilation, or other engineering controls to control airborne levels below recommended exposure limits.

# Individual protection measures, such as personal protective equipment

#### Respiratory protection

- Respiratory protection is not required. Where protection from nuisance levels of dusts are desired, use type N95.
- Use respirators and components tested and approved under appropriate government standards such as NIOSH

# Eye protection

- Wear safety goggles as follow if eye irritation or other disorder occur.
- ; In case of gaseous state organic material: enclosed safety goggles
- ; In case of vapour state organic material: safety goggles or breathable safety goggles
- ; In case of particulate material: breathable safety goggles
- An eye wash unit and safety shower station should be available nearby work place.

# **Hand protection**

- Wear appropriate protective gloves (insulated gloves) by considering physical and chemical properties of chemicals.

# **Body protection**

- Wear appropriate protective clothing by considering physical and chemical properties of chemicals.

#### 9. Physical and chemical properties

# 9.1 Information on basic physical and chemical properties

**Appearance** 

Description :SolidColor :ivory whiteOdor :Not availableOdor threshold :Not availablepH :Not available



Melting point/freezing point: 100°C~115°C Initial boiling point and boiling range: Not available Flash point: 221°C **Evaporation rate:** Not available Flammability (solid, gas): Not available Upper/lower flammability or explosive limits : Not available Vapor pressure: Not applicable Vapor density: Not available

Relative density 0.92~0.95g/cm<sup>3</sup>(25°C)

**Solubility:** Soluble in organic solvents above 93℃

Partition coefficient: n-octanol/water: Log Kow=17.04

Auto-ignition temperature : $435^{\circ}$ CDecomposition temperatureNot availableViscosity :Not available

# 10. Stability and reactivity

# 10.1 Reactivity/Chemical stability/Possibility of hazardous reactions:

- Stable under normal conditions.
- No dangerous reaction under conditions of normal use.

# 10.2 Conditions to avoid:

- Keep away from heat/sparks/open flames/hot surfaces.

# 10.3 Incompatible materials:

- Combustion materials, Irritating, Toxic gases

#### 10.4 Hazardous decomposition products: Not available

# 11. Toxicological information

Information on toxicological effects		
(a) Acute toxicity	Not available	
Oral	Rat, LD <sub>50</sub> >2,000 mg/kg bw	
Dermal	Not available	
Inhalation	Not available	
(b) Skin Corrosion/ Irritation	Not classified	
	In test on skin irritation with rabbits, mild skin irritations was observed.(irritating index: 0.2)	
(c) Serious Eye	Not classified	

<sup>&</sup>quot;NOTE: The physical data presented above are typical values and should not be construed as a specification"



Damage/ Irritation	At the 24 hour observation, one and two treated eyes suffered from moderate and minimal conjunctival irritation, respectively. , Polyethylene produced a maximum group mean score of 11.7 and was classified as a mild irritant to the rabbit eye, All treated eyes appeared normal at the 72 hour and 7 day observations.
(d) Respiratory sensitization	Not available
(e) Skin Sensitization	Not classified
	In skin sensitization test with guinea pigs, skin sensitizations were not observed.
(f) Carcinogenicity	Not classified
	IARC : Group 3 ACGIH, NTP, OSHA, EU CLP 1272/2008, US EPA : Not listed
(g) Mutagenicity	Not classified
	In vitro: Reverse mutation test (S. typhimurium) with/ without metabolic activation: Negative
(h) Reproductive toxicity	Not available
(i) Specific target organ toxicity (single exposure)	Not available
(j) Specific target organ toxicity (repeat exposure)	Not classified
	Subchronic or Prechronic Exposure/ In a 90-day study, rats and dogs were fed an extract of low molecular weight PE film; the film had been extracted with isooctane to yield 568 mg extract/100 g of film. Rats fed at a level of 13,500 ppm film extract showed liver changes (fat droplets, cloudy swelling, and increased liver weight) that were considered reversible in all cases. Rats fed at levels of 2700 and 540 ppm and dogs fed 2700 ppm showed no adverse effects.
(k) Aspiration Hazard	Not available

# 12. Ecological information

12.1 Toxicity	Not available
Acute toxicity	Not available
Chronic toxicity	Not available
12.2 Persistence and degradability	Persistence: High persistency (log Kow is more than 4 estimated.)  Log Kow =17.04  Degradability: Not available
12.3 Bioaccumulative potential	Bioaccumulation: Bioaccumulation is expected to be low according to the BCF <500. (BCF = 3.162) Biodegradation: Not available
12.4 Mobility in soil	Not available
12.5 Hazardous to the ozone layer	Not applicable



# 13. Disposal considerations

#### 13.1 Disposal method

- Waste must be disposed of in accordance with federal, state and local environmental control regulations.
- Whatever cannot be saved for recovery or recycling should be handled as hazardous waste and sent to a RCRA approved waste facility. Processing, use or contamination of this product may change the waste management options. State and local disposal regulations may differ from federal disposal regulations.
- Dispose of container and unused contents in accordance with federal, state and local requirements.

#### 13.2 Disposal precaution

Consider the required attentions in accordance with waste treatment management regulation.

Do not dump this product into any sewers, on the ground, or into any body of water.

Dispose of in accordance with all applicable federal, state, and local regulations.

# 14. Transport information

14.1 UN No.: Not applicable

**14.2 UN Proper shipping name:** Not applicable **14.3 Transport Hazard classes:** Not applicable

**14.4 Packing group:** Not applicable

14.5 Environmental hazards: Not applicable

14.6 Transport in bulk (according to Annex II of MARPOL 73/78 and the IBC Code): Not established

14.7 Special precautions for user in case of fire: Not applicable

in case of leakage: Not applicable

# 15. Regulatory information

# 15.1 Safety, health and environmental regulation/legislation specific for the substance or mixture

USA Regulatory Information

TSCA (Toxic Substances Control Act): Section8 (b) inventory(Present) [XU]

Proposition 65: Not regulated
OSHA Regulation: Not regulated
CERCLA Regulation: Not regulated
SARA 302 Regulation: Not regulated
SARA 304 Regulation: Not regulated
SARA 313 Regulation: Not regulated

#### **Foreign Regulatory Information**

Substance of Rotterdam] Protocol: Not regulated Substance of Stockholm Protocol: Not regulated Substance of Montreal Protocol: Not regulated

#### **Foreign Inventory Status**

- Korea management information: Existing Chemical Substance (KE-28877)
- Japan management information: Existing and New Chemical Substances (ENCS): Present ((6)-1))



- China management information: Inventory of Existing Chemical Substances (IECSC): Present (05721)
- Australia management information: Inventory of Chemical Substances (AICS): Present
- Canada management information: Domestic Substances List (DSL): Present
- New Zealand management information: Inventory of Chemicals (NZIoC): May be used as a single component chemical under an appropriate group standard.
- Philippines management information: Inventory of Chemicals and Chemical Substances (PICCS): Present

# 16. Other information, including date of preparation or last revision

#### 16.1 Indication of changes:

Preparation date: July 27, 2022

Version: 1

Revision date: January 5, 2024

# 16.2 Key literature reference and sources for data:

- o IARC Monographs on the Evaluation of Carcinogenic Risks to Humans; http://monographs.iarc.fr
- O HSDB; http://toxnet.nlm.nih.gov/
- o NIOSH (The National Institute for Occupational Safety and Health)
- o ACGIH (American Conference of Governmental Industrial Hygienists)
- o TOMES-LOLI®; http://www.rightanswerknowledge.com/loginRA.aspo National Emergency
- Management Agency-Korea dangerous material inventory management system; http://www.nema.go.kr/hazmat/main/main.jsp
- o Waste Control Act enforcement regulation attached [1]
- O National chemicals information systems; http://ncis.nier.go.kr

#### 16.3 Abbreviations

ACGIH: American Conference of Governmental Industrial hygienists NIOSH: The National Institute for Occupational Safety and Health

OSHA: Occupational Safety & Health Administration IARC: International Agency for Research on Cancer

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road ICAO/IATA: International Civil Aviation Organization/ International Air Transport Association

RID: Regulations Concerning the International Transport of Dangerous Goods by Rail

#### 16.4 Other

- Product should be handled, stored, and used in accordance with the generally accepted industrial hygiene practices and in conformity with all the applicable legal regulations.
- The information provided herein is based on the knowledge possessed at this present time from the view point of safety requirements.
- It should, therefore, not be construed as guaranteeing specific properties.