

SAFETY DATA SHEET

Date Printed: Version: 3 Revision date: January 5, 2024 Regulation: In accordance with Commission Regulation (EU) CLP 1272/2008

1. IDENTIFICATION OF THE SUBSTANCE AND OF THE COMPANY

1.1 Product identifier Product name: CHYA-870F EC No.: -REACH Registration No.: -CAS No.: -

1.2 Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Identified Uses

- It is used for insulation of communication cable

1.2.2. Recommended use

- It is used for insulation of communication cable

1.2.3. Restrictions on use

- Do not use for purposes other than those recommended.

1.3 Details of the supplier of the safety data sheet

1.3.1 Manufacturer

Company name: Hanwha Solutions Co, Ltd. Address: Yeosu plant, Hanwha Solutions Co, Ltd., 117, Yeosusandan 3-ro, Yeosu-si, Jeollanam-do, Korea Prepared by: W&C Production Team Contact Telephone: +82-61-688-1582, Fax: +82-61-688-1585 **1.3.2 Supplier & Distributor** Company name: Hanwha Solutions Co, Ltd. Address: 21F, Hanwha Bldg., Cheonggyecheon-ro 86(Janggyo-dong), Jung-gu, Seoul, Korea Prepared by: W&C Sales Team Contact Telephone: +82-2-729-2689, Fax: +82-2-729-2563, e-mail : raehyun.yu@hanwha.com

1.4. Emergency telephone number

Emergency Telephone: +82-2-729-2689, +49-6196-5016

2. HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture Classification according to Regulation (EC) No. 1272/2008 (CLP)

Physical / Chemical Hazards: Not classified

Health Hazards: Not classified

Environmental Hazards: Not classified

2.2 Label elements

o Pictogram and symbol: Not applicable



- o Signal word: Not applicable
- o Hazard statements: Not applicable
- o Precautionary statements: Not applicable
- o Treatment statements: Not applicable
- o Storage statements: Not applicable
- o Waste statements: Not applicable

2.3 Other hazards

- Additional precautionary statements: Not applicable
- National Fire Protection Association(NFPA)
 Health: 1
 Flammability: 0
 Reactivity: -

3. COMPOSITION/INFORMATION ON INGREDIENTS

Component	CAS No.	EC No.	Conc. / %	Classification according to 1272/2008/EEC	(Pre) Registration No.
Polyethylene	25213-02-9	607-647-3	>98	Not available	01-2119462827-27-0000
Azodicarbonamide	123-77-3	204-650-8	Trade Secret	Resp. Sens. 1	05-2115001082-72-0000

4. FIRST AID MEASURES

4.1 Description of first aid measures

4.1 Description (
4.1.1. General	
information:	Remove soiled or soaked clothing immediately, do not allow to dry.
	Adhere to personal protective measures when giving first aid.
	Clean body thoroughly (Bad, shower).
4.1.2. Following inhalation:	
	Specific medical treatment is urgent.
	Move victim to fresh air.
	Give artificial respiration if victim is not breathing.
	Administer oxygen if breathing is difficult.
4.1.3. Following	
skin contact:	Remove and isolate contaminated clothing and shoes. In case of contact with substance, immediately flush skin with running water at least 20 minutes.
	Get immediate medical advice/attention.
4.1.4. Following	
eye contact:	In case of contact with substance, immediately flush eyes with running water at least 20 minutes.
	Get immediate medical advice/attention.
4.1.5. Following	
ingestion:	Do not let him/her eat anything, if unconscious.
	Get immediate medical advice/attention.
4.1.6. Self-prote	ction of the first aider: First aider: Pay attention to self-protection!

4.2 Most important symptoms and effects, both acute and delay Acute effects:

- Symptoms and effects: None known



4.3 Indication of immediate medical attention and notes for physician

- Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves.

5. FIRE-FIGHTING MEASURES

5.1 Extinguishing media

- Suitable extinguisher: Dry chemical powder, alcohol-resistant foam
- Unsuitable extinguisher: Not available

5.2 Special hazards arising from the substance or mixture

- May be ignited by heat, sparks or flames.
- Containers may explode when heated.
- Some of these materials may burn, but none ignite readily.
- Fire may produce irritating and/or toxic gases.
- If inhaled, may be harmful.

5.3 Advice for firefighters

- Move containers from fire area if you can do it without risk.
- Some may be transported melting.
- Runoff from fire control may cause pollution.
- Contact with substance may cause severe burns to skin and eyes.
- Dike fire-control water for later disposal; do not scatter the material.

6. ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

- Eliminate all ignition sources.
- Stop leak if you can do it without risk.
- Ventilate the area.
- Do not touch or walk through spilled material.
- Powder Spill; Cover powder spill with plastic sheet or tarp to minimize spreading and keep powder dry.
- Prevent dust cloud.
- 6.2 Environmental precautions
 - Prevent entry into waterways, sewers, basements or confined areas.

6.3 The methods of purification and removal

- Small Spill; Flush area with flooding quantities of water. And take up with sand or other non-combustible absorbent material and place into containers for later disposal.
- Large Spill; Dike far ahead of liquid spill for later disposal.
- With clean shovel place material into clean, dry container and cover loosely; move containers from spill area.

7. HANDLING AND STORAGE

7.1 Precautions for safe handling

- Wash your hands thoroughly after handling.
- Please work with reference to engineering controls and personal protective equipment.
- Be careful to high temperature.

7.2 Conditions for safe storage, including any incompatibilities



- Store in a closed container.
- Store in cool and dry place.
- Please note that there are materials and conditions to avoid.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

8.1 Control parameters

Occupational Exposure limits

o EU regulation:

<Polyethylene>

- Bulgaria: TWA=10 mg/m³ (dust)
- The Czech Republic: TWA=5 mg/m³ (dust)
- Latvia: TWA=5 mg/m³ (dust, listed under Polymers dust)
- <Azodicarbonamide>
- The United Kingdom: TWA=1 mg/m³
- Finland: TWA =0.5 mg/m³
- Ireland: TWA =1 mg/m³
- o U.S regulation: Not available
- o ACGIH: Not available
- o Biological exposure index: Not available
- o Others:
- Polyethylene
- China: TWA=5 mg/m³ (total dust)
- o DNELs, PNECs:

Exposure	DNELs, DMELs, PNECs											
route of relevance	Industrial			Professional			Consumer					
	Long term, Local effects	Long term, systmi ceffec ts	Short term, local effects	Short term, syste mic effect	Long term, Local effects	Long term, system iceffec ts	Short term, local effects	Short term, system ic effect	Long term, Local effects	Long term, system iceffec ts	Short term, local effects	Short term, system ic effect
Human: oral (mg/kg bw/day)	-	-	-	-	-	-	-	-	-		-	-
Human: inhalation (mg/m³)	0.5			-	-	-	-	-				-
Human: dermal (mg/kg bw/day)	-	14.03	-	-	-	-	-	-	-		-	-

8.2 Exposure controls

Appropriate engineering controls:

- Provide local exhaust ventilation system or other engineering controls to keep the airborne concentrations of

vapors below their respective threshold limit value.

Individual protection measures, such as personal protective equipment:

Respiratory protection:

- Wear NIOSH approved full or half face piece (with goggles) respiratory protective equipment when

necessary.



- If risk of overexposure exists, wear an approved respirator.

Eye protection:

- Wear enclosed safety goggles to protect from gaseous state organic material causing eye irritation or other disorder.

- An eyewash unit and safety shower station should be available nearby work place.

- Hand protection:
- Wear appropriate chemical resistant protective gloves by considering physical and chemical properties of chemicals.

Body protection:

- Wear appropriate chemical resistant protective clothing by considering physical and chemical properties of chemicals.

9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Appearance	
Description:	Solid (20°C, 1,013hPa)
Color:	
Odor:	yellow
Odor threshold:	odorless
pH:	Not available
Melting point/freezing point:	110~140℃
Initial boiling point and boiling range:	Not available
Flash point:	Not available
Evaporation rate:	Not available
Flammability (solid, gas):	Not available
Upper/lower flammability or explosive limits:	Not available
Vapor pressure:	Not available
Vapor density:	Not available
Relative density:	0.930 ~ 0.960
Solubility(ies):	Not available
Partition coefficient: n-octanol/water:	Not available
Auto-ignition temperature:	Not available
Decomposition temperature:	Not available
Viscosity:	Not available
Explosive properties:	Not available
Oxidizing properties:	Not available
Molecular weight:	Not available

10. STABILITY AND REACTIVITY

10.1 Reactivity/Chemical stability/Possibility of hazardous reactions

- Containers may explode when heated.
- Some of these materials may burn, but none ignite readily.
- Nonflammable, the material itself is not burnt but it could generate irritating and toxic fume when heated.
- Fire may produce irritating, corrosive and/or toxic gases.



10.2 Conditions to avoid

- Heat, sparks or flames, other sources of ignition

10.3 Incompatible materials

- Combustibles, reducing agents.

10.4 Hazardous decomposition products:

- Corrosive and toxic fume
- Irritating, corrosive or toxic gases

1. TOXICOLOGICAL INFORMAT	ION				
11.1 Information on toxicolog	ical effects				
(a) Acute toxicity					
	Not classified (ATE _{mix} >2,000mg/kg bw)				
Oral	 Polyethylene: Rat, LD₅₀ > 2,000mg/kg bw Azodicarbonamide: rat, LD₅₀ > 2,500 mg/kg 				
	Not classified (ATE _{mix} >2,500mg/kg bw)				
Dermal	 Polyethylene: Not Available Azodicarbonamide: rabbit, LD₅₀ > 2,000 mg/kg bw (OECD TG 402, GLP) 				
	Not classified				
Inhalation	 Polyethylene: Not Available Azodicarbonamide: rabbit, LD₅₀ > 0.52 mg/L air/4h (OECD TG 403, GLP) 				
	Not classified				
(b) Skin Corrosion/ Irritation	 Polyethylene: In test on skin irritation with rabbits, mild skin irritations were observed (irritating index: 0.2) Azodicarbonamide: A single semi-occlusive application of Unifoam AZ SO-NL to intact rabbit skin for four hours elicited no dermal irritation. (GLP) 				
	Not classified				
(c) Serious Eye Damage/ Irritation	 Polyethylene: At the 24 hour observation, one and two treated eyes suffered from moderate and minimal conjunctival irritation, respectively. , Polyethylene produced a maximum group mean score of 11.7 and was classified as a mild irritant to the rabbit eye, All treated eyes appeared normal at the 72 hour and 7 day observations. Azodicarbonamide: None of the animals gave a "positive" response. No corneal damage or iridial inflammation were observed. Mild conjunctival irritation was observed in four of the animals, in one animal at the one hour reading only. The reactions in the other three animals had resolved two days after 				
	instillation of the test substance. The remaining two animals showed no response to treatment. (GLP). Not classified				
(d) Respiratory sensitization	 Azodicarbonamide: Minimal irritation of the respiratory tract was shown in guinea pigs at 				



	concentrations up to 97 mg/m ³					
	Not classified					
(e) Skin Sensitization	 Polyethylene: In skin sensitization test with guinea pigs, skin sensitizations were not observed. Azodicarbonamide: ADCA is not a skin sensitiser, it does not have to be classified and has no obligatory labelling requirement for sensitization by skin contact (OECD TG 406, GLP) 					
	Not classified					
(f) Carcinogenicity	IARC, NTP, NIOSH, OSHA, ACGIH, EU CLP 1272/2008: Not listed					
	Not classified					
(g) Mutagenicity	 Polyethylene In vivo: Bacterial Reverse Mutation Assay (Salmonella typhimurium, Escherichia coli) with/without metabolic activation: Negative Azodicarbonamide					
	Not classified					
(h) Reproductive toxicity	 Azodicarbonamide Under the present conditions, NOELs for reproductive toxicity of 1,1'azobisformamide are considered to be 1000 mg/kg/day for males and females, and those for toxicity other than reproduction are considered to be 1000 mg/kg/day for males and 300 mg/kg/day for females (OECD TG 415, GLP) 					
	Not classified					
(i) Specific target organ toxicity (single exposure)	 Azodicarbonamide Pilo-erection and abnormal body carriage (hunched posture) were observed in all rats within five minutes of dosing. Pilo-erection alone persisted throughout the remainder of Day 1. There were no other clinical signs and recovery, as judged by external appearance and behaviour, was complete by Day 2. (OECD TG 401, GLP) 					
	Not classified					
(j) Specific target organ toxicity (repeat exposure)	 Polyethylene Subchronic or Prechronic Exposure/ In a 90-day study, liver changes (fat droplets, cloudy swelling, and increased liver weight) that were considered reversible in all cases. (NOAEC=Rat: 2,700, 540ppm, dog: 2700ppm) Azodicarbonamide The rats of all groups appeared healthy and reacted normally throughout the study with the exception of geriatric changes in the rats during the fourth halfyear period of the study. In the rats there were no differences in 					



	survival related to dietary treatment. At one year about 85% or more of th F0 rats were alive in each group, including both sets of controls, and at years, about half of the rats survived. (NOAEL=7.5ppm(ADCA), NOAEL=7,500ppm(Biurea))				
(k) Aspiration Hazard	Not available				
. ECOLOGICAL INFORMATIC	DN				
12.1 Toxicity					
	Not classified (ATE _{mix} =11mg/L)				
Acute toxicity	 Azodicarbonamide Fish: 96h NOEC (<i>Pimephales promelas</i>) ≥ 50 mg/L (OECD TG 203, GLP) Crustacean: 48 h EC₅₀ (<i>Daphnia magna</i>) = 11 mg/L (OECD TG 202, GLP) Algae: 72h ErC₅₀ (<i>Scenedesmus subspicatus</i>) > 36.1 mg/L (GLP) 				
	Not classified (Additivity formula)				
Chronic toxicity	 Azodicarbonamide Fish: Not available Crustacean: 21d NOEC (<i>Daphnia magna</i>) = 2.89 mg/L (OECD TG 211, GLP) Algae: 72h NOEC (<i>Scenedesmus subspicatus</i>) = 7.2 mg/L (GLP) 				
12.2Persistence and degradability	 Polyethylene Persistence: High persistency (log Kow is more than 4 estimated.) (Log Kow = 17.04) (estimated) Azodicarbonamide Persistence: Low persistency (log Kow is less than 4 estimated.) (Log Kow <1) Degradability: Degradation in water, (25 °C, pH7) half-life is 43hr. (OECD TG 111, GLP) 				
12.3Bioaccumulative potential	 Polyethylene Biodegradation: As not well-biodegraded, it is expected to have accumulation potential in living organisms (Polyethylene films is not degraded while 4 weeks to 25 weeks) Azodicarbonamide Bioaccumulation: Bioaccumulation is expected to be low according to the BCF < 500 (BCF = 3.162) Biodegradation: As well-biodegraded, it is expected to have low accumulation potential in living organisms (70% biodegradation was observed after 28 days) (OECD TG 301B, GLP) 				
12.4 Mobility in soil	 Azodicarbonamide Low potency of mobility to soil. (Koc = 19.95) (OECD TG 121, GLP) 				
12.5 Results of PBT and vPvB assessment	Not available				
12.6 Hazardous to the ozone layer	Not classified				
12.7 Other adverse effects	Not available				

13. DISPOSAL CONSIDERATIONS



13.1 Waste treatment methods

Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste.

13.1.1 Product/Packaging disposal:

- No waste key number as per the European Waste Types List can be assigned to this product, since such classification is based on the (as yet undetermined) use to which the product is put by the consumer.
- The waste key number must be determined as per the European Waste Types List (decision on EU Waste Types List 2000/532/EC) in cooperation with the disposal firm/producing firm/official authority.

13.1.2 Waste treatment-relevant information:

Waste must be disposed of in accordance with directive 2008/98/EC.

13.1.3 Sewage disposal-relevant information:

Release to the environment or sewage system is prohibited. Must be treated as hazardous waste.

13.1.4 Other disposal recommendations: Not available

14. TRANSPORT INFORMATION

14.1 UN No.: Not applicable

14.2 UN Proper shipping name: Not applicable

14.3 Transport Hazard class:

ADR: Not applicable IMDG: Not applicable ICAO/IATA: Not applicable RID: Not applicable

14.4 Packing group: Not applicable

14.5 Environmental hazards: Not applicable

14.6 Special precautions for user: Not applicable

15. REGULATORY INFORMATION

15.1 Safety, health and environmental regulation/legislation specific for mixture

< Polvethvlene> **EU Regulatory Information EU classification** EU 1272/2008(CLP) Classification: Not classified Risk phrases: Not classified Safety phrases: Not classified EU SVHC list: Not regulated EU Authorization list: Not regulated EU Restriction list: Not regulated Waste Framework Directive 2008/98/EC: Not regulated < Azodicarbonamide > **EU Regulatory Information EU classification** EU 1272/2008(CLP) Classification: Resp. Sens. 1



Risk phrases: H334 Safety phrases: P261, P285, P304+P341, P342+P311,P501 EU SVHC list: Regulated EU Authorization list: Not regulated EU Restriction list: Regulated Waste Framework Directive 2008/98/EC: Regulated

Foreign Inventory Status

- < Polyethylene >
- Korea management information: Existing Chemical Substance (KE-28877),
- European management information: European Inventory of Existing Commercial chemical Substances (EINECS): Not presented
- China management information: Inventory of Existing Chemical Substances (IECSC): Present (05721)
- Japan management information: Existing and New Chemical Substances (ENCS): Present ((6)-1)
- Australia management information: Australian Inventory of Chemical Substances (AICS): Present
- Canada management information: Domestic Substances List (DSL): Present
- New Zealand management information: Inventory of Chemicals (NZIoC): May be used as a component in

a product covered by a group standard but it is not approved

a product covered by a group standard but it is not approved

for

use as a chemical in its own right

- Philippines management information: Inventory of Chemicals and Chemical Substances (PICCS): Present

- < Azodicarbonamide >
- Korea management information: Phase-in substance subject to registration (KE-09864)
- European management information: European Inventory of Existing Commercial chemical Substances (EINECS): Present (204-650-8)
- China management information: Inventory of Existing Chemical Substances (IECSC): Present (07373)
- Japan management information: Existing and New Chemical Substances (ENCS): Present ((2)-1747, (2)-1241)
- Canada management information: Domestic Substances List (DSL): Present
- Australia management information: Australian Inventory of Chemical Substances (AICS): Present
- New Zealand management information: Inventory of Chemicals (NZIoC): May be used as a component in

for

use as a chemical in its own right

- Philippines management information: Inventory of Chemicals and Chemical Substances (PICCS): Present

15.2 Chemical safety assessment: Not available

16. OTHER INFORMATION

Product safety data sheet for prepared in accordance with Regulation (EU) 1272/2008 **16.1 Indication of changes:**

Preparation date: Jun. 20, 2016 Version: 3 Revision date: January 5, 2024

16.2 Key literature reference and sources for data:

TSCA; http://iaspub.epa.gov/sor_internet/registry/substreg/searchandretrieve/searchbylist/search.do IECSC; http://cciss.cirs-group.com/ EU Regulation 1272/2008 TOMES-LOLI®; http://www.rightanswerknowledge.com/loginRA.asp UN Recommendations on the transport of dangerous goods 17th IARC Monographs on the Evaluation of Carcinogenic Risks to Humans;http://monographs.iarc.fr ECHA CHEM; http://echa.europa.eu/web/guest/information-on-chemicals/registered-substances



HSDB; http://toxnet.nlm.nih.gov/cgi-bin/sis/search2 EPISUITE Program ver.4.1 Waste Control Act enforcement regulation attached [1] National chemicals information systems ; http://ncis.nier.go.kr

16.3 Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008(CLP):

Classification according to Regulation (EC) 1272/2008 (CLP)	Classification procedure		
Not classified	Not classified		

16.4 Abbreviations

EC50: median effective concentration

- LC50: median lethal concentration
- LD50: median lethal dose
- OEL: Occupational exposure limit
- PBT: Persistent, bioaccumulative, toxic chemical
- STEL: short-term exposure limit
- TWA: time weighted average
- vPvB: very persistent, very bioaccumulative chemical

EWC: the European Waste Code

16.5 Other

- Product should be handled, stored, and used in accordance with the generally accepted industrial hygiene practices and in conformity with all the applicable legal regulations.

- The information provided herein is based on the knowledge possessed at this present time from the view point of

safety requirements.

- It should, therefore, not be construed as guaranteeing specific properties.