

SAFETY DATA SHEET

Date Printed:

Version: 4

Revision date: October 2, 2024

Regulation: In accordance with Commission Regulation (EU) 2020/878

1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier

Product name: CLNA-8151

EC No.: -

REACH Registration No.: -

CAS No.: -

1.2 Relevant identified uses of the substance or mixture and uses advised against

1.2.1 Identified Uses

- It is used for insulation of power cable.

1.2.2 Recommended use

- It is used for insulation of power cable.

1.2.3 Restrictions on use

- Do not use for purposes other than those recommended.

1.3 Details of the supplier of the safety data sheet

1.3.1 Manufacturer

Company name: Hanwha Solutions Co, Ltd.

Address: Yeosu plant, Hanwha Solutions Co, Ltd., 117, Yeosusandan 3-ro, Yeosu-si, Jeollanam-do, Korea

Prepared by: W&C Production team

Contact Telephone: +82-61-688-1550, Fax: +82-61-688-1585

1.3.2 Supplier & Distributor

Company name: Hanwha Solutions Co, Ltd.

Address: 21F, Hanwha Bldg., Cheonggyecheon-ro 86(Janggyo-dong), Jung-gu, Seoul, Korea

Prepared by: W&C Sales Team

Contact Telephone: +82-2-729-5315, Fax : +82-2-729-3000

1.4 Emergency telephone number

Emergency Telephone: +82-2-729-1172

2. HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 (CLP)

Physical / Chemical Hazards: Not classified

Health Hazards: Reproductive toxicity: Category 1B

Environmental Hazards: Chronic toxicity: Category 3

2.2 Label elements

o Hazard pictograms:



o Signal word: Danger

o Hazard statement:

H360 May damage fertility or the unborn child.

H412 Harmful to aquatic life with long lasting effects.

o Precautionary statements:

- Prevention

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and understood.

P273 Avoid release to the environment.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

- Response

P308+P313 If exposed or concerned: Get medical advice/attention.

- Storage

P405 Store locked up.

- Disposal

P501 Dispose the contents/container in accordance with local/regional/national/international regulations.

2.3 Other hazards

- **Additional precautionary statements:** EUH210- 'Safety data sheet available on request'.

- **National Fire Protection Association (NFPA):**

Health: 1

Flammability: 0

Reactivity: -

3. COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances: Not applicable

3.2 Mixtures:

Component	CAS No.	EC No.	Conc. / %	Classification according to 1272/2008/EC	SCL/ M-factor/ ATE	Registration No.
Polyethylene	9002-88-4	-	> 97	Not classified	ATE(oral) > 2,000 mg/kg ATE(oral) > 5,000 mg/kg	01-2119462827-27-0000
Dicumyl Peroxide	80-43-3	201-279-3	>= 0.4 - < 1	Org. Perox. F Skin Irrit. 2 Eye Irrit. 2 Aquatic Chronic 2 Repr. 1B	ATE(oral) ≥ 2,000 mg/kg bw ATE(dermal) > 2,000 mg/kg bw	01-2119541688-27-0000
2,4-Diphenyl-4-methyl-1-pentene	6362-80-7	-	>=0.01 - <0.4	-	-	-
4,4'-thiobis[2-tert.-butyl-5-methylphenol]	96-69-5	-	>=0.05 - <0.25	-	-	-

*Under EU REACH regulation, monomers in Polyethylene are registered.

4. FIRST AID MEASURES

4.1 Description of first aid measures

4.1.1 General information:

Remove soiled or soaked clothing immediately, do not allow to dry.
Adhere to personal protective measures when giving first aid.
Clean body thoroughly (Bad, shower).

4.1.2 Following inhalation:

If exposed or concerned: Get medical advice/attention.
Move victim to fresh air.
Keep victim warm and quiet.

4.1.3 Following skin contact:

Call emergency medical service.
Remove and isolate contaminated clothing and shoes.
In case of contact with substance, immediately flush skin or eyes with running water for at least 20 minutes.
For minor skin contact, avoid spreading material on unaffected skin.

4.1.4 Following eye contact:

Call emergency medical service.
In case of contact with substance, immediately flush eyes with running water at least 20 minutes.

4.1.5 Following ingestion:

If exposed or concerned: Get medical advice/attention.
Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device.

4.1.6 Self-protection of the first aider:

First aider: Pay attention to self-protection!

4.2 Most important symptoms and effects, both acute and delayed:

- Symptoms and effects: None known.

4.3 Indication of any immediate medical attention and special treatment needed:

- Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves.

5. FIRE-FIGHTING MEASURES

5.1 Extinguishing media

- Suitable extinguishing media: Dry chemical, Alcohol foam, carbon dioxide, water, regular foam
- Unsuitable extinguishing media: Not available

5.2 Specific hazards arising from the substance or mixture

- May decompose at high temperatures into forming toxic gases.
- Containers may explode when heated.
- Some of these materials may burn, but none ignite readily.
- Non-combustible, substance itself does not burn but may decompose upon heating, then produce corrosive and/or toxic fumes.

5.3 Advice for firefighters

- Rescuers should put on appropriate protective gear.
- Evacuate area and fight fire from a safe distance.
- Substance may be transported in a molten form.
- Some may be transported hot.
- Dike fire-control water for later disposal; do not scatter the material.
- Move containers from fire area if you can do it without risk.
- Fire involving Tanks; Fight fire from maximum distance or use unmanned hose holders or monitor nozzles.
- Fire involving Tanks; Cool containers with flooding quantities of water until well after fire is out.
- Fire involving Tanks; Withdraw immediately in case of rising sound from venting safety devices or discoloration of tank.
- Fire involving Tanks; Always stay away from tanks engulfed in fire.
- Fire involving Tanks; For massive fire, use unmanned hose holders or monitor nozzles; if this is impossible, withdraw from area and let fire burn.

6. ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures**6.1.1 For non-emergency personnel**

- Clean up spills immediately, observing precautions in Protective Equipment section.

- Keep unnecessary and unprotected personnel from entering.
- Stop leak if you can do it without risk.
- Do not touch damaged containers or spilled materials unless wearing appropriate protective clothing.

6.1.2 For emergency responders

- Isolate hazard area.
- Eliminate all ignition sources.
- Cover with plastic sheet to prevent spreading.
- Prevent dust cloud.
- Please note that there are materials and conditions to avoid.
- For further information refer to section 8.2.

6.2 Environmental precautions

- Avoid release to the environment.
- Prevent entry into waterways, sewers, basements or confined areas.

6.3 Methods and material for containment and cleaning up

- Absorb spills with inert material (e.g., dry sand or earth), then place in a chemical waste container.
- Absorb the liquid and scrub the area with detergent and water.
- Large Spill; Dike far ahead of liquid spill for later disposal.
- With clean shovel place material into clean, dry container and cover loosely; move containers from spill area.
- Powder Spill; Cover powder spill with plastic sheet or tarp to minimize spreading and keep powder dry.
- Small Spill; Take up with sand or other non-combustible absorbent material and place into containers for later disposal.

6.4 Reference to other sections

- If appropriate, Section 8 and 13 shall be referred to.

7. HANDLING AND STORAGE

7.1 Precautions for safe handling

- Since the risk of ignition is high when storing plastic dust that has undergone a polymerization process or abnormal work, temperature monitoring inside the dust is required during the process. In case of abnormal work, management of ignition source or the dust removal is needed.
- Even though the average particle size is large, plastic dust has a high ratio of fine dust with micrometer size. It is necessary to be careful with the risk of ignition or explosion since airborne dust has low minimum ignition energy.
- Management of the dust concentration is required when handling and using dust. Because the lower limit of the explosion of plastic dust is 50g/m³ or less, the frequency of fire explosions is high.
- Do not handle until all safety precautions have been read and understood.
- Follow all SDS/Label precautions even after container is emptied because they may retain product residues.
- Use carefully in handling/storage.
- Loosen closure cautiously before opening.
- Avoid breathing vapors from heated material.
- Do not enter storage area unless adequately ventilated.
- Please note that materials and conditions to avoid.
- Be careful to high temperature.

7.2 Conditions for safe storage, including any incompatibilities

- Stored locked up.
- Empty drums should be completely drained, properly bunged, and promptly returned to a drum reconditioner, or properly disposed of.

7.3 Specific end use(s)

- Recommendations shall relate to the identified use(s) referred to in subsection 1.2 and be detailed and operational.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

8.1 Control parameters

Occupational Exposure limits

<Polyethylene>

o **EU regulation:** Not available

o **U.S regulation:**

- NIOSH: Not available

- OSHA: Not available

o **ACGIH:** Not available

o **Biological exposure index:** Not available

o **Others:**

- Slovak Republic: TWA= 5mg/m³ (total solid aerosol)

- China: TWA= 5mg/m³ (total dust), STEL=10mg/m³ (total dust)

o **DNELs, PNECs:** Not available

<Dicumyl Peroxide >

o **EU regulation:** Not available

o **U.S regulation:** Not available

o **ACGIH:** Not available

o **Biological exposure index:** Not available

o **Others:** Not available

o **DNELs, PNECs:**

Exposure route of relevance	DNELs, DMELs, PNECs											
	Industrial				Professional				Consumer			
	Long term, Local effects	Long term, systemic effects	Short term, local effects	Short term, systemic effect	Long term, Local effects	Long term, systemic effects	Short term, local effects	Short term, systemic effect	Long term, Local effects	Long term, systemic effects	Short term, local effects	Short term, systemic effect
Human: oral (mg/kg bw/day)	-	-	-	-	-	-	-	-	-	0.4	-	-
Human: inhalation (mg/m ³)	-	5.6	-	-	-	-	-	-	-	1.4	-	-
Human: dermal (mg/kg bw/day)	Low hazard	0.8	Low hazard	-	-	-	-	-	Low hazard	0.4	Low hazard	-
Environment: water	2.34 µg/L(freshwater),											
Environment: air	-											
Environment: soil	447 µg/kg soil dw											
Environment: sediment	2.24 mg/kg sediment dw(freshwater)											
Environment: STP	100 mg/L											
Environment: Predators	No potential for bioaccumulation											

8.2 Exposure controls

Appropriate engineering controls:

- Provide local exhaust ventilation system or other engineering controls to keep the airborne concentrations of vapors below their respective threshold limit value.

Individual protection measures, such as personal protective equipment:

Respiratory protection:

- Follow the European Standard EN149. Use a European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.

Eye protection:

- Wear breathable safety goggles to protect from particulate material causing eye irritation or other disorder.
- An eye wash unit and safety shower station should be available nearby work place.

Hand protection:

- Wear appropriate protective gloves by considering physical and chemical properties of chemicals.

Body protection:

- Wear appropriate clothing by considering physical and chemical properties of chemicals.

Thermal hazards:

- If appropriate, Section 5.3 shall be referred to.

Environmental exposure controls: Not available

9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties
Appearance

Physical state:	Solid, Pellet
Color:	White
Odor:	Not available
Odor threshold:	Not available
pH:	Not available
Melting point/freezing point:	100~130°C
Boiling point or initial boiling point and boiling range:	Not available
Flash point:	Not available
Evaporation rate:	Not available
Flammability (solid, gas):	Not available
Upper/lower flammability or explosive limits:	Not available
Vapour pressure:	Not available
Vapour density:	Not available
Density and/or relative density:	0.910 ~ 0.925
Solubility(ies):	Not available
Partition coefficient: n-octanol/water:	Not available
Auto-ignition temperature:	Not available
Decomposition temperature:	Not available
Viscosity:	Not available
Kinematic viscosity:	Not available
Explosive properties:	Not available
Oxidizing properties:	Not available
Molecular weight:	Not available
Specific gravity:	Not available
Particle characteristics (solid):	Not available
Particle Size (Polymer compound)	Not available
Self-accelerated decomposition temperature (Polymer compound)	Not available

9.2 Other information: Not available

10. STABILITY AND REACTIVITY

10.1 Reactivity

- Containers may explode when heated.

10.2 Chemical stability

- Some of these materials may burn, but none ignite readily

10.3 Possibility of hazardous reactions

- May decompose at high temperatures into forming toxic gases.
- Non-combustible, substance itself does not burn but may decompose upon heating, then produce corrosive and/or toxic fumes.

10.4 Conditions to avoid

- Heat, sparks or flames

10.5 Incompatible materials

- Oxidizing agent, Reducing agent

10.6 Hazardous decomposition products

- Corrosive and/or toxic fume
- irritating, Corrosive and /or toxic gases

11. TOXICOLOGICAL INFORMATION

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008	
(a) Acute toxicity	
Oral	Not classified (ATE _{mix} > 2,000 mg/kg bw)
	<ul style="list-style-type: none"> - Polyethylene : <ul style="list-style-type: none"> · LD₅₀ (rat) > 2,000 mg/kg (Polyethylene, an average molecular weight: 450) · LD₅₀ (rat) > 5,000 mg/kg (Polyethylene, an average molecular weight: 655) - Dicumyl Peroxide : <ul style="list-style-type: none"> · LD₅₀ (rat, male/female) >= 2,000 mg/kg bw, no deaths (OECD TG 401, GLP)
Dermal	Not classified (ATE _{mix} > 2,000 mg/kg bw)
	<ul style="list-style-type: none"> - Dicumyl Peroxide : <ul style="list-style-type: none"> · LD₅₀ (rat, male/female) > 2,000 mg/kg bw, no deaths (OECD TG 402, GLP)
Inhalation	Not available
(b) Skin Corrosion/ Irritation	Not classified
	<ul style="list-style-type: none"> - Polyethylene : <ul style="list-style-type: none"> · It caused a primary irritation index of 0.0 when tested on rabbit skin, according to the Draize index. (Polyethylene, an average molecular weight: 450) · It caused a primary irritation index of 0.2 when tested on rabbit skin. No irritation was observed at the other two treated (Polyethylene, an average molecular weight: 655) - Dicumyl Peroxide : <ul style="list-style-type: none"> · The substance was not irritating when tested on rabbit skin. (OECD TG 404, GLP)
(c) Serious Eye Damage/ Irritation	Not classified
	<ul style="list-style-type: none"> - Polyethylene :

	<ul style="list-style-type: none"> · When white rabbits were tested with 13% Polyethylene beads, the maximum ocular score was 8/110 with resolution after 48 h and no corneal abrasions were observed. (Polyethylene, an average molecular weight: no data) · All treated eyes appeared normal at 48h and 7 days after application on the eyes of rabbits. Polyethylene caused a maximum group mean score of 11.0. (Polyethylene, an average molecular weight: 450) · All treated eyes appeared normal at 72h and 7 days after application on the eyes of rabbits. Polyethylene caused a maximum group mean score of 11.7. (Polyethylene, an average molecular weight: 655) <p>※ The CIR Expert Panel concluded that Polyethylene is safe for use in cosmetic products in the practices of use and concentration as described in this safety assessment(Final report on the safety Assessment of Polyethylene)</p> <p>- Dicumyl Peroxide :</p> <ul style="list-style-type: none"> · The substance was not irritating when tested on rabbit eye. (OECD TG 405, GLP)
(d) Respiratory sensitization	Not available
(e) Skin Sensitization	Not classified
	<p>- Polyethylene:</p> <ul style="list-style-type: none"> · Polyethylene did not cause dermal sensitization in guinea pigs tested with 50% Polyethylene (w/w) in arachis oil BP. (Polyethylene, an average molecular weight: 450) <p>- Dicumyl Peroxide :</p> <ul style="list-style-type: none"> · The result of the LLNA test indicated, that Dicumyl Peroxide is not sensitizing to skin of mice when tested at concentration up to 50%. (OECD TG 429, GLP)
(f) Carcinogenicity	Not classified
	<p>- Polyethylene :</p> <ul style="list-style-type: none"> · IARC : Group 3 (Not Classifiable) <p>- Dicumyl Peroxide :</p> <ul style="list-style-type: none"> · IARC, NTP, OSHA, ACGIH, EU CLP 1272/2008: not listed · As Dicumyl Peroxide was found to be negative in genotoxicity tests in vitro and showed only weak activity as a tumor promotor the overall conclusion can be drawn that the substance has no carcinogenic potential.
(g) Germ cell mutagenicity	Not available (Not sufficient for classification)
	<p>- Polyethylene :</p> <ul style="list-style-type: none"> · <i>In vitro</i>: Gene mutation study in bacteria; negative (Polyethylene, an average molecular weight: 450) <p>- Dicumyl Peroxide :</p> <ul style="list-style-type: none"> · <i>In vitro</i>: Gene mutation study in bacteria: Metabolic activation: with and without; negative (OECD TG 471, GLP) · <i>In vitro</i>: Mammalian Chromosome Aberration Test: Metabolic activation: with and without; negative (OECD TG 473, GLP) · <i>In vitro</i>: Mammalian Cell Gene Mutation Test: Metabolic activation: with and without; negative (OECD TG 476, GLP)
(h) Reproductive toxicity	Category 1B
	<p>- Dicumyl Peroxide :</p> <ul style="list-style-type: none"> · In a developmental toxicity study according to OECD 414, Trade secret 1 was administered to 24 pregnant female rats per dose by oral

	<p>gavage at dose levels of 0, 50, 150 and 450 mg/kg bw/day. Effects of the highest dose on embryos included increased post implantation loss (and lower number of viable foetuses), a decreased foetal weight, an increased percentage of foetuses with body weight retardation, malrotated fore- and hindlimbs as well as skeletal malformations of the pectoral girdle and extremities, increase of skeletal variations and placentas with dark brownish discoloration or fibrinoid degeneration possibly due to the marked maternal toxicity. The maternal LOAEL is 450 mg/kg bw/day. The maternal NOAEL is 150 mg/kg bw/day. The developmental LOAEL is 450 mg/kg bw/day. The developmental NOAEL is 150 mg/kg bw/day. (OECD TG 414, GLP)</p> <ul style="list-style-type: none"> · Placing greater weight, both on the increased intrauterine mortality and on the specific effects observed from the skeletal malformations, and with the comparisons of the individual dam/litter data between maternal toxicity and foetal toxicity showing no correlation, then the observed teratogenicity / developmental toxicity was not secondary to the maternal toxicity. Overall RAC considered that the criteria for classification for developmental toxicity were met for a presumed human reproductive toxicant, thus warrants classification as Repr. 1B; H360D. (Committee for Risk Assessment RAC Opinion)
(i) Specific target organ toxicity (single exposure)	Not available
(j) Specific target organ toxicity (repeat exposure)	Not classified
	<ul style="list-style-type: none"> - Polyethylene : <ul style="list-style-type: none"> · Toxicity testing in rats showed no adverse effects at doses of 7.95 g/kg or at 1.25%, 2.50%, or 5.00% in feed for 90 days. (Polyethylene, an average molecular weight: 450) - Dicumyl Peroxide : <ul style="list-style-type: none"> · In a subchronic toxicity study, this substance was administered to rats by oral gavage at dose levels of 0, 20, 80, 320 mg/kg bw/day. It caused salivation, changes in body weight and body weight gain, in feed efficiency, clinical chemistry parameters (ALT, GGT, total bilirubin, blood urea nitrogen, bile acid or inorganic phosphorous) and organ weights (liver and kidneys) after repeated dose oral administration to male and female rats. The LOAEL is 320 mg/kg bw/day. The NOAEL is 80 mg/kg bw/day. (OECD TG 408, GLP) · Repeated oral toxicity was investigated in a study according to OECD Guideline 407 over. Rats were exposed to 60, 200 and 600 mg/kg. No deaths were observed in any of the treatment groups in either sex. NOAEL = 60 mg/kg bw/day(nominal), LOAEL = 200 mg/kg bw/day (nominal) (Increased relative liver weights and histopathologically, hypertrophy of hepatocytes in both sexes at 200 mg/kg/d), (OECD TG 407, GLP)
(k) Aspiration Hazard	Not applicable
11.2 Information on other hazards	
11.2.1 Endocrine disrupting properties	Not available
11.2.2 Other information	Not available

12. ECOLOGICAL INFORMATION

12.1 Toxicity	
Acute toxicity	Not classified ($ATE_{mix} > 100$ mg/L)
	<ul style="list-style-type: none"> - Dicumyl Peroxide : <ul style="list-style-type: none"> · Fish: Not available · Invertebrate: 48h-EC_{50} (<i>Daphnia magna</i>) > 100 mg/L (semi-static, freshwater) (OECD TG 202, GLP) · Algae: 72h-ErC_{50} (<i>Pseudokirchneriella subcapitata</i>) $> 1,000$ mg/L (static, freshwater) (OECD TG 201, GLP)
Chronic toxicity	Category 3
	<ul style="list-style-type: none"> - Dicumyl Peroxide : <ul style="list-style-type: none"> · Fish: Not available · Invertebrate: 21d-$NOEC_{reproduction}$ (<i>Daphnia magna</i>) = 0.177 mg/L (semi-static, freshwater) (OECD TG 211, GLP) · Algae: 72h-$NOECr$ (<i>Pseudokirchneriella subcapitata</i>) = 10 mg/L (static, freshwater) (OECD TG 201, GLP)
12.2 Persistence and degradability	<ul style="list-style-type: none"> - Dicumyl Peroxide : <ul style="list-style-type: none"> · Hydrolysis half-life : 23.8d (pH 4, 25 °C), 29.2d (pH 7, 25 °C), 29.9d (pH 9, 25 °C) (OECD TG 111, GLP) · 18% degradation after 28d; not readily biodegradable (OECD TG 301D, GLP)
12.3 Bioaccumulative potential	<ul style="list-style-type: none"> - Polyethylene : <ul style="list-style-type: none"> · $\log K_{ow} = 17.04$ (estimated) (EPISUITE); not valid data (modeling value that exceeds the range of “-4<$\log K_{ow}$<8”) · BCF = 3.162 (estimated) (EPISUITE); not valid data (value derived from a modeling value that exceeds the range of “-4<$\log K_{ow}$<8”) - Dicumyl Peroxide : <ul style="list-style-type: none"> · $\log K_{ow} = 5.6$ (25 °C) (OECD TG 117) · BCF = 137-1,470 (Concentration in environment : 0.01 mg/L) · BCF = 181-667 (Concentration in environment : 0.001 mg/L) (OECD TG 305C)
12.4 Mobility in soil	<ul style="list-style-type: none"> - Dicumyl Peroxide : <ul style="list-style-type: none"> · $K_{oc} = 9,549.93$ (OECD TG 121, GLP)
12.5 Results of PBT and vPvB assessment	<ul style="list-style-type: none"> - Polyethylene : The substance is not PBT/vPvB. - Dicumyl Peroxide : The substance is not PBT/vPvB.
12.6 Endocrine disrupting properties	Not available
12.7 Other adverse effects	Not available
12.8 Additional information	Not available

13. DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

- Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste.

13.1.1 Product/Packaging disposal

- No waste key number as per the European Waste Types List can be assigned to this product, since such classification is based on the (as yet undetermined) use to which the product is put by the consumer.

- The waste key number must be determined as per the European Waste Types List (decision on EU Waste Types List 2000/532/EC) in cooperation with the disposal firm/producing firm/official authority.

13.1.2 Waste treatment-relevant information

- Waste must be disposed of in accordance with directive 2008/98/EC.

13.1.3 Sewage disposal-relevant information:

- Release to the environment or sewage system is prohibited. Must be treated as hazardous waste.

13.1.4 Other disposal recommendations: Not available

14. TRANSPORT INFORMATION

14.1 UN No.: Not applicable**14.2 UN Proper shipping name:** Not applicable**14.3 Transport Hazard class:**

ADR: Not applicable

IMDG: Not applicable

ICAO/IATA: Not applicable

RID: Not applicable

14.4 Packing group: Not applicable**14.5 Environmental hazards:** Not applicable**14.6 Special precautions for user****in case of fire:** Not applicable**in case of leakage:** Not applicable**14.7 Maritime transport in bulk according to IMO instruments:** Not applicable

15. REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

< Polyethylene >

EU Regulatory Information**EU classification****EU 1272/2008(CLP)****Classification:** Not applicable**Risk phrases:** Not applicable**Safety phrases:** Not applicable**EU SVHC list:** Not regulated**EU Authorization list:** Not regulated**EU Restriction list:** Not regulated

<Dicumyl peroxide>

EU Regulatory Information**EU classification****EU 1272/2008(CLP)****Classification:** Org. Perox. F, Skin Irrit. 2, Eye Irrit. 2, Repr. 1B, Aquatic Chronic 2**Risk phrases:** H242, H360D, H315, H319, H411**Safety phrases:** P234, P210, P220, P280, P264, P201, P202, P273, P308+P313, P305+P351+P338, P337+P313, P302+P352, P362+P364, P332+P313, P321, P391, P405, P410, P411+P235, P420, P501**EU SVHC list:** Regulated

(REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59), Reason for inclusion: Toxic for reproduction (Article 57c))

EU Authorization list: Not regulated

EU Restriction list: Regulated

Foreign Inventory Status

<Polyethylene>

- Korea management information: Existing Chemical Substance (KE-28877)
- U.S.A management information: Section 8(b) Inventory (TSCA): Present [XU] (ACTIVE)
- Canada management information: Domestic Substances List (DSL): Present
- Australia management information: Inventory of Industrial Chemicals (AIIC): Present
- New Zealand management information: Inventory of Chemicals (NZIoC): May be used as a single component chemical under an appropriate group standard
- China management information: Inventory of Existing Chemical Substances (IECSC): Present (05721)
- Japan management information: Existing and New Chemical Substances (ENCS): Present ((6)-1)
- Philippines management information: Inventory of Chemicals and Chemical Substances (PICCS): Present
- Taiwan management information: Taiwan Chemical Substance Inventory (TCSI): Present

<Dicumyl peroxide>

- Korea management information: Existing Chemical Substance
- European Inventory of Existing Commercial chemical Substances(EINECS) : Present
- Japan management information: Existing and New Chemical Substances (ENCS): Present
- China management information: Inventory of Existing Chemical Substances (IECSC): Present
- Australia management information: Inventory of Chemical Substances (AICS): Present
- Canada management information: Domestic Substances List (DSL): Present
- New Zealand management information: Inventory of Chemicals (NZIoC): HSNO Approval
- Philippines management information: Inventory of Chemicals and Chemical Substances (PICCS): Present

15.2 Chemical safety assessment: Not available

16. OTHER INFORMATION

Product safety data sheet for prepared in accordance with Commission Regulation (EU) 2020/878

16.1 Indication of changes:

Preparation date: Feb. 10, 2017

Version: 4

Revision date: October 2, 2024

16.2 Key literature reference and sources for data:

TSCA; http://iaspub.epa.gov/sor_internet/registry/substreg/searchandretrieve/searchbylist/search.do

EU Regulation 1272/2008

TOMES-LOLI; <http://csi.micromedex.com/fraMain.asp?Mnu=0>

RightAnswer-LOLI; <https://www.rightanswerknowledge.com/n0home.asp>

UN Recommendations on the transport of dangerous goods Twenty-second revised edition

IARC Monographs on the Identification of Carcinogenic hazard to Humans;

<http://monographs.iarc.who.int>

ECHA CHEM; <http://echa.europa.eu/web/guest/information-on-chemicals/registered-substances>

ECHA: bis(α,α -dimethylbenzyl) peroxide /registration-dossier

PE; Final Report on the Safety Assessment of Polyethylene (International Journal of Toxicology, 26, 2007)

RAC Opinion; Committee for Risk Assessment (Proposing harmonized classification and labelling at EU level of bis(α,α -dimethylbenzyl) peroxide, 06, 2018)

OECD SIDS; <https://www.oecd.org/>

HSDB; <https://pubchem.ncbi.nlm.nih.gov/>

EPA; <http://www.epa.gov/iris>

EPISUITE Program ver.4.1

NIOSH(The National Institute for Occupational Safety and Health)

ACGIH(American Conference of Governmental Industrial Hygienists)

16.3 Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008(CLP):

Classification according to Regulation (EC) 1272/2008 (CLP)	Classification procedure
Reproductive toxicity: Category 1B	Generic concentration limit
Aquatic Chronic toxicity: Category 3	Summation method

16.4 Abbreviations

EC₅₀: median effective concentration
 LC₅₀: median lethal concentration
 LD₅₀: median lethal dose
 OEL: Occupational exposure limit
 PBT: Persistent, bioaccumulative, toxic chemical
 STEL: short-term exposure limit
 TWA: time weighted average
 vPvB: very persistent, very bioaccumulative chemical
 EWC: the European Waste Code
 SCL: Specific concentration limit
 M-factor: Multiplication factor
 ATE: Acute toxicity estimate

16.5 Other

- Product should be handled, stored, and used in accordance with the generally accepted industrial hygiene practices and in conformity with all the applicable legal regulations.
- The information provided herein is based on the knowledge possessed at this present time from the view point of safety requirements.
- It should, therefore, not be construed as guaranteeing specific properties.